

UC Davis/NIH NeuroMab Facility Department of Physiology and Membrane Biology, UC Davis, Davis CA 95616 http://neuromab.ucdavis.edu neuromab@ucdavis.edu

## Anti-Neuroligin-3, NeuroMab clone N110/29

Immunogen:

Fusion protein amino acids 730-848 (intracellular C-terminus) of rat Neuroligin-3 (also known as gliotactin homolog, accession number AAA97871)
Mouse: 99% identity (118/119 amino acids identical)
Human: 98% identity (116/119 amino acids identical)
~60% identity with Neuroligin-1
~40% identity with Neuroligin-2

Monoclonal antibody info: Mouse strain: Balb/C Myeloma cell: SP2/0 Mouse Ig Isotype: IgG1

<u>NeuroMab Applications:</u> Immunoblotting, Immunocytochemistry and Immunohistochemistry

Species Reactivity: human, mouse, rat

Does not cross-react with Neuroligin-1, -2, -4 or -4\*

MW: 110 kDa

Top: adult mouse brain immunoblot: extracts of brains from Neuroligin-3 wild-type (WT) and knockout (KO) mice were probed with N110/29 TC supe. Data courtesy of Marc Bolliger and Tom Sudhof, UTSW (now at Stanford).

Bottom: adult mouse brain membrane (MBM) and transfected cell immunoblot: extracts of MBM and COS cells transiently transfected with Neuroligin-1, -2, -3, -4 and -4\* plasmids and probed with N110/29 TC supe. Data courtesy of Marc Bolliger and Tom Sudhof, UTSW (now at Stanford).

Adult rat hippocampus immunohistochemistry





